



## Day-Date 40

Oyster, 40 mm, Everose gold

The Oyster Perpetual Day-Date 40 in 18 ct Everose gold with a slate ombré dial, fluted bezel and a President bracelet.



FLUTED BEZEL

## A Rolex signature

The Rolex fluted bezel is a mark of distinction. Originally, the fluting of the Oyster bezel had a functional purpose: it served to screw the bezel onto the case helping to ensure the waterproofness of the watch.

It was therefore identical to the fluting on the case back, which was also screwed onto the case for waterproofness, using specific Rolex tools. Over time, the fluting became an aesthetic element, a genuine Rolex signature feature. Today the fluted

bezel is a mark of distinction, in gold on this Day-Date 40.



SLATE OMBRÉ DIAL

## Continuity of a design

The version presented, in 18 ct Everose gold, introduces slate ombré dial – a completely new hue for such a dial, whose surface, coloured at the centre, progresses to a deep black around the edge. Also appearing for the first time on the ombré dial of this watch are faceted, deconstructed Roman numerals and faceted index hour markers in 18 ct pink gold.

Until now, Rolex ombré dials were set with diamond hour markers and were reserved for the Day-Date 36. This dial represents the continuity of

a design that Rolex introduced in the 1980s and relaunched in 2019. The manufacture of these dials with a concentric gradient involves the application of black lacquer, a delicate operation overseen by a specialist whose task it is to ensure the harmonious transition from colour to darkness.



18 CT EVEROSE GOLD

## An exclusive patent

To preserve the beauty of its pink gold watches, Rolex created and patented an exclusive 18 ct pink gold alloy cast in its own foundry: Everose gold.

Introduced in 2005, 18 ct Everose is used on all Rolex Oyster models in pink gold.



THE PRESIDENT BRACELET

### The ultimate refinement

The design, development and production of Rolex bracelets and clasps, as well as the stringent tests they face, involve advanced high technology.

And, as with all the components of the watch, aesthetic controls by the human eye guarantee impeccable beauty. The President bracelet, with its semi-circular three piece links, was created in 1956 for the launch of the Oyster Perpetual Day-Date. It represents the ultimate in refinement and comfort and is always made of carefully selected precious metals.

## More Day-Date technical details

Reference 228235

#### **Model Case**

#### **Type**

Oyster, 40 mm, Everose gold

#### **Diameter**

40 mm

#### **Material**

Everose gold

#### Bezel

Fluted

#### **Oyster Architecture**

Monobloc middle case, screw-down case back and winding crown

#### **Winding Crown**

Screw-down, Twinlock double waterproofness system

#### **Crystal**

Scratch-resistant sapphire, Cyclops lens over the date

#### **Water Resistance**

Waterproof to 100 metres / 330 feet

#### **Movement**

#### **Type**

Perpetual, mechanical, self-winding

#### **Calibre**

3255, Manufacture Rolex

#### **Precision**

-2/+2 sec/day, after casing

#### **Oscillator**

Paramagnetic blue Parachrom hairspring. High-performance Paraflex shock absorbers

#### Winding

Bidirectional self-winding via Perpetual rotor

#### **Power reserve**

Approximately 70 hours

#### **Functions**

Centre hour, minute and seconds hands. Instantaneous day and date in apertures, secure rapid-setting. Stop-seconds for exact time setting

#### **Bracelet**

#### **Type**

President, semi-circular three-piece links

#### **Bracelet Material**

18 ct Everose gold

#### Clasp

Concealed folding Crownclasp

#### **Dial**

#### **Type**

Slate ombré

#### Certification

#### **Type**

Superlative Chronometer (COSC + Rolex certification after casing)

# Explore and discover more on Rolex.com

All intellectual property rights such as trademarks, service marks, trade names, designs and copyrights are reserved.

Nothing contained in this website may be reproduced without written permission. Rolex reserves the right at all times to modify the models featured in the present website.

